


Hot Rolled Steel Plate



products	Standars NO.	grade	Spec.	Normal size	standards
Carbon structural steel hot rolled M&T steel plate	Q215 Q235 Q255	A B	6-25	thickness6-25 width1700-2400length4000-13000	GB/T3274-1988 Q/AGJ01.011-1999
			>25 ≤50	thickness 26-120 width1500-2500 length4000-13000	GB/T3274-1988 Q/AGJ01.011-1999 or Technology Agreement
			>50		or Technology Agreement
	Q235	C D	6-25		GB/T3274-1988 Q/AGJ01.011-1999
			>25-30		GB/T3274-1988 Q/AGJ01.011-1999 or Technology Agreement
	SS330-490		6-25		JISG3101-1995
			>25-40		JISG3101-1995 or Technology Agreement
			6-25		ASTMA36M-96
			>25-40		ASTMA36M-96 or Technology Agreement
					

20g boiler steel plates	20g		6-22 >22, <25		GB713-1997 GB713-1997 or Technology Agreement
16Mng boiler steel plates	16Mng		6-22		GB713-1997
			>22, <25		GB713-1997 or Technology Agreement
Low-alloy high-pressure structure steel hot-rolled M&T steel plate	Q295	A B	6-22		GB/T3274-1988
			>22, ≤50		GB/T3274-1988 or Technology Agreement
		>50		Technology Agreement	
	Q345	A B C D	6-22		GB/T3274-1988
			>22, ≤50		GB/T3274-1988 or Technology Agreement
		>50		Technology Agreement	
Hull structure steel Hot Rolled Steel Plate		A B	6-25	length4000-13000 width1600-2450	GL 2002 version shipping regulations
					CCS-98 shipping regulations
					ABS 2004 shipping regulations
					BV 2003 shipping regulations
					DNV 2004 shipping regulations
					LR 2003 shipping regulations
NK 2002 shipping regulations					

Anyang General International Co.,Ltd

Have Been Identified Through CE

Tel:(86) 372 5965148

Fax:(86) 372 5951936

E-mail: info@gcmachines.com

web:www.minmetalschina.com

Add: Suite A, 4/F Jinhao Business Bld., Renmin Rd., Anyang, Henan, P.R.C
Zip Code: 455000